

# Dimmer recommendation list















































Our dimmer recommendations are non-binding. Both special LED dimmers and dimmers, which are intended for incandescent lamps, high voltage halogen lamps and Tronic transformers with halogen lamps, are tested. With both dimmer versions - mentioned in our list below - perfect results are possible. In the event that you already own a dimmer, we recommend that you test it. System-related problems (current fluctuations, etc.) can have an impact upon the dimmer behaviour and slight humming noises may occur. Please ensure that you read the dimmer operating instructions in all circumstances.

As a result of external influences, it may be the case that a dimmer/LED combination does not function. We therefore make no guarantee or warranty that a specific dimmer/LED light combination will function in all circumstances nor do we assume any liability for damage that may occur as a result.

Art. Nr.	Serie	not dimmable	Dimmer installed	Casambi optional	Casambi installed	Gira 030 700	Gira 030 500	Gira 2385 00	Berker 2874	Jung 1224 LED UDE	Jung 225 T DE	Jung 225 NVDE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	VADSBO VD200	Merten MEG5138-0000	Merten MEG5136-0000	Switzerland			
																		Feller 40 600 RC	Feller 40 600 RL	Feller 40 300 RC	
229 502 09	Medusa	x																			
229 906 09	Medusa					x	x	x	x	x	x		x	x	x				x		x
260 503 09	Eos	x																			
260 903 09	Eos					x		x	x	x				x	x				x		x
260 910 ..	Eos		P																		
268 808 09	Linea						x	x		x				x	x	x					
269 912 09	Air					x	x	x	x	x	x			x							
270 912 09	Air					x	x	x	x	x	x			x							
271 808 09	Linea						x	x		x				x	x	x					
297 502 09	Sun	x																			
298 502 09	Sun	x																			
300 606 09	Skyline					x	x	x	x	x	x			x	x	x					
300 908 09	Skyline						x	x		x									x		x
307 800 09	Helix		F																		
314 502 09	Sun	x																			
341 904 09	Avanti					x	x	x	x	x	x		x	x	x		x	x	x	x	x
342 804 09	Zen Mini					x	x	x	x	x	x		x	x	x		x	x	x	x	x
342 808 09	Zen					x	x	x	x	x	x		x	x	x		x	x	x	x	x
342 810 09	Zen Due						x	x		x			x			x	x	x	x	x	x
343 804 09	Zen Mini					x	x	x	x	x	x		x	x	x		x	x	x	x	x
343 808 09	Zen					x	x	x	x	x	x		x	x	x		x	x	x	x	x
343 810 09	Zen Due						x	x		x			x			x	x	x	x	x	x
344 804 09	Zen Mini					x	x	x	x	x	x		x	x	x		x	x	x	x	x
344 808 09	Zen					x	x	x	x	x	x		x	x	x		x	x	x	x	x
344 810 09	Zen Due						x	x		x			x			x	x	x	x	x	x
345 502 09	Sun	x																			
346 504 09	Fluid		D																		
346 540 09	Fluid		D																		
346 905 09 *	Fluid					x	x	x	x	x	x		x		x				x		x
346 907 09 *	Fluid					x	x	x	x	x	x		x		x				x		x
347 504 09	Fluid		D																		
347 540 09	Fluid		D																		
347 905 09 *	Fluid					x	x	x	x	x	x		x		x				x		x
347 907 09 *	Fluid					x	x	x	x	x	x		x		x				x		x

Art. Nr.	Serie	not dimmable	Dimmer installed	Casambi optional	Casambi installed	Gira 030 700	Gira 030 500	Gira 2385 00	Berker 2874	Jung 1224 LED UDE	Jung 225 T DE	Jung 225 NVDE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	VADSBO VD200	Merten MEG5138-0000	Merten MEG5136-0000	Switzerland			
																		Feller 40 600 RC	Feller 40 600 RL	Feller 40 300 RC	
348 504 09	Fluid		D																		
348 540 09	Fluid		D																		
348 905 09 *	Fluid			🔴		X	X	X	X	X			X		X				X		X
348 907 09 *	Fluid			🔴		X	X	X	X	X			X		X				X		X
349 808 ..	Della Luna			🟡		X	X	X	X	X			X	X	X		X		X		X
401 601 09	Silk			🔴		X		X	X	X			X	X					X		X
401 800 09	Silk			🔴				X		X			X	X	X	X			X		X
401 901 09	Silk			🔴		X		X	X	X			X	X	X	X	X		X		X
406 804 09	Manhattan			🟡		X			X		X	X	X	X	X					X	
407 604 09	Spot It			🟡		X	X	X	X	X			X	X					X		X
407 801 09	Spot It					X		X	X	X			X	X	X						
407 802 09	Spot It			🟡		X	X	X	X	X			X	X	X				X		X
407 804 09	Spot It			🟡		X	X	X	X	X			X	X					X		X
409 000 09	Concept			🔴				X		X				X							X
410 000 09	Concept			🔴				X		X				X							X
410 901 09	Concept			🔴				X		X				X							X
411 803 09	Turn			🔴		X			X		X			X	X	X	X		X		X
412 803 09	Turn			🔴		X			X		X			X	X	X	X		X		X
413 803 09	Turn			🔴		X			X		X			X	X	X	X		X		X
440 601 09	Silk			🔴		X		X	X	X			X	X					X		X
440 800 09	Silk			🔴				X		X			X	X	X	X			X		X
440 901 09	Silk			🔴		X		X	X	X			X	X	X	X	X		X		X
443 801 09	Space			🔴				X		X				X		X	X		X		X
443 802 09	Space			🔴		X		X	X	X			X	X		X	X		X		X
443 803 09	Space			🔴		X		X	X	X			X	X		X	X		X		X
444 801 09	Space			🔴				X		X				X		X	X		X		X
444 802 09	Space			🔴		X		X	X	X			X	X		X	X		X		X
444 803 09	Space			🔴		X		X	X	X			X	X		X	X		X		X
445 900 09	CL 2			🔴				X <sup>1</sup>		X <sup>1</sup>				X	X				X		X
446 900 09	CL 2			🔴				X <sup>1</sup>		X <sup>1</sup>				X	X				X		X
447 501 ..	Gap					X			X		X			X	X	X	X		X	X	X
447 510 ..	Gap					X			X		X			X	X	X	X		X	X	X
448 604 09	Curved			🔴				X		X				X					X		X
448 804 09	Curved			🔴				X		X				X					X		X
449 604 09	Curved			🔴				X		X				X					X		X
449 804 09	Curved			🔴				X		X				X					X		X
451 802 09	Stage			🔴		X		X	X	X				X	X		X		X		X
451 803 09	Stage			🔴		X		X	X	X				X	X	X		X		X	X
451 804 09	Stage			🔴		X		X	X	X				X	X	X		X		X	X
451 906 09 *	Stage			🔴		X	X	X	X	X				X	X	X			X		X
452 801 09	Space			🔴				X		X				X		X	X		X		X
452 802 09	Space			🔴		X		X	X	X				X	X		X	X		X	X
452 803 09	Space			🔴		X		X	X	X				X	X		X	X		X	X
453 000 09	VIO					X			X		X			X	X	X	X		X		X
453 501 09	VIO					X			X		X			X	X	X	X		X		X

															Switzerland						
Art. Nr.	Serie	not dimmable	Dimmer installed	 Casambi optional	 Casambi installed	Gira 030 700	Gira 030 500	Gira 2385 00	Berker 2874	Jung 1224 LED UDE	Jung 225 T DE	Jung 225 NVDE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	VADSBO VD200	Merten MEG5138-0000	Merten MEG5136-0000	Feller 40 600 RC	Feller 40 600 RL	Feller 40 300 RC	
453 502 09	VIO					X			X		X	X		X	X	X	X	X			X
453 601 09	VIO					X			X		X	X		X	X	X	X	X	X		X
453 801 09	VIO					X			X		X	X		X	X	X	X	X	X		X
453 802 09	VIO					X			X		X	X		X	X	X	X	X	X		X
453 902 09	VIO*					X	X		X		X			X					X		X
454 000 09	VIO					X			X		X	X		X	X	X	X	X	X		X
454 501 09	VIO					X			X		X	X		X	X	X	X	X	X		X
454 502 09	VIO					X			X		X	X		X	X	X	X	X	X		X
454 601 09	VIO					X			X		X	X		X	X	X	X	X	X		X
454 801 09	VIO					X			X		X	X		X	X	X	X	X	X		X
454 802 09	VIO					X			X		X	X		X	X	X	X	X	X		X
454 902 09	VIO*					X	X		X		X			X					X		X
469 600 09	Fine					X		X		X			X			X	X	X	X		X
469 800 09	Fine					X		X		X			X			X	X	X	X		X
470 600 09	Swing					X		X	X	X	X		X			X	X	X	X		X
471 900 09	Rainbow		D																		
472 900 09	Rainbow		D																		
474 000 09	Slimline		D																		
474 200 09	Slimline		D																		
474 600 09	Slimline		D																		
474 900 09	Slimline		D																		
475 900 09	Mille Feuilles					X	X	X	X	X	X		X			X	X	X	X		X
476 900 09	Motion		D																		
477 900 09	Motion		D																		
478 000 09	VIO					X			X		X	X		X	X	X	X	X	X		X
478 501 09	VIO					X			X		X	X		X	X	X	X	X	X		X
478 502 09	VIO					X			X		X	X		X	X	X	X	X	X		X
478 601 09	VIO					X			X		X	X		X	X	X	X	X	X		X
478 801 09	VIO					X			X		X	X		X	X	X	X	X	X		X
478 802 09	VIO					X			X		X	X		X	X	X	X	X	X		X
478 902 09	VIO*					X	X		X		X			X					X		X
479 804 09	ZEN mini					X	X	X	X	X	X			X			X		X		X
479 808 09	ZEN						X	X		X			X						X		X
479 810 09	ZEN DUE						X	X		X			X			X	X	X	X		X
481 504 09	Fluid		D																		
481 540 09	Fluid		D																		
481 905 09 *	Fluid					X	X	X	X	X	X		X		X			X		X	
481 907 09 *	Fluid					X	X	X	X	X	X		X		X			X		X	
482 601 09	Silk					X		X	X	X	X		X	X				X		X	
482 800 09	Silk							X		X			X	X	X	X		X		X	
482 901 09	Silk					X		X	X	X	X		X	X	X	X	X	X	X		X
483 900 09	Mille Feuilles					X	X	X	X	X	X		X			X	X	X	X		X
620 606 09	Jazz							X		X				X		X	X	X	X		X
620 906 09	Jazz					X		X	X	X	X		X	X		X	X	X	X		X
621 606 09	Jazz							X		X				X		X	X	X	X		X

															Switzerland					
Art. Nr.	Serie	not dimmable	Dimmer installed	 Casambi optional	 Casambi installed	Gira 030 700	Gira 030 500	Gira 2385 00	Berker 2874	Jung 1224 LED UDE	Jung 225 T DE	Jung 225 NVDE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	VADSBO VD200	Merten MEG5138-0000	Merten MEG5136-0000	Feller 40 600 RC	Feller 40 600 RL	Feller 40 300 RC
621 906 09	Jazz					X		X	X	X	X		X	X		X	X	X		X
622 600 09	Infinity							X		X				X		X	X	X		X
622 900 09	Infinity							X		X				X		X	X	X		X
623 804 09	Studio					X		X	X	X	X			X	X	X	X	X	X	X
624 600 09	Extend		D																	
624 900 09	Extend		D																	
625 900 09	Akio		D																	
626 900 09	Akio		D																	
627 809 09	Sharp					X	X	X	X	X	X			X	X	X	X	X		X
628 809 09	Sharp					X	X	X	X	X	X			X	X	X	X	X		X
629 809 09	Sharp					X	X	X	X	X	X			X	X	X	X	X		X
630 803 09	Matrix					X		X	X	X			X	X	X	X		X		X
633 903 09	Stratos					X		X	X	X				X				X		X

Nov 17

F = wireless dimmer P = rotary potentiometer

D = Depending on the lighting product the integrated dimmer can be operated via a button or touch sensor.



The lights marked with this symbol can be ordered optionally with an integrated dimmer (Casambi module) which permits the light to be dimmed via the normal switch and/or via an App (Casambi) by means of smartphone or tablet.



For lights marked with this symbol a dimmer (Casambi module) can be ordered optionally as accessory which permits the light to be dimmed via the normal switch and/or via an App (Casambi) by means of smartphone or tablet.



Depending on the actual installation environment, slight flickering may occur when dimming with the Casambi module in the lowest brightness range. As with the classic flush-mounted dimmers, you should in such case increase the brightness manually.

\* Lights with switch module can be equipped with a dimmer (Casambi module) and can be dimmed via smartphone or tablet. Dimming via the normal light switch is not possible!

X<sup>1</sup> Dimmer recommended only with connected neutral conductor.

Further information about CASAMBI can be found here:

